


FILE 0488 SI 07

I. Wilson

F.W.

1B1




PAZMEY CORPORATION

ORLAND BARREL & DRUM SERVICE
WE BUY AND SELL USED AND RECONDITIONED
STEEL DRUMS AND FIBRE CONTAINERS

14560 RIDGE ORLAND PARK, ILLINOIS 60462
PHONE (312) 349-2834 - ~~349-5189~~
NO ANS.

EPA Region 5 Records Ctr.



382927

OCT 20 11 26 AM '83
DIV. OF LAND POLLUTION CONTROL
STATE BOARD OF HEALTH

October 17, 1983

Mr. Ted Warner
Division of Land Pollution Control,
Indiana State Board of Health
1330 West Michigan Street
P.O. Box 1964
Indianapolis In 46206-1964

Dear Mr. Warner:

We are in receipt of a letter dated September 15, 1983 from Lee Langlotz, Chief: Treatment, Storage, Disposal Section, Hazardous Waste Management Branch, Division of Land Pollution Control, regarding an inspection made by you on August 9 1983, at our plant in Griffith Ind.

The troughs mentioned in this letter were there when we purchased the building three (3) years ago.

Per our telephone conversation of October 6, 1983 you stated that no water should run on the ground. Both ends of the troughs have now been plugged with concrete.

Sincerely yours,

Pazmey Corp.

Robert F. Pazdro